

AT Series



Acoustical Tile Access Doors

Doors are designed for use with acoustical tile or gypsum board walls and ceilings. The door is engineered to install flush, virtually concealed. Door is recessed 5/8" to accept acoustical tile or gypsum board.

Door is 16 gage and **frame** is 12 gage, galvannealed steel with a prime coat finish.

Concealed Hinge operates completely out of sight so that only the metal thickness of the door and frame is visible.

Latch is screwdriver operated.

Guide Specification

Provide Elmdor® AT Series, Acoustical Tile Access Door (specify model number and options). Access door shall be fabricated from 16 gage and frame from 12 gage, galvannealed steel with a prime coat finish. Door shall be recessed 5/8" to accept acoustical tile or gypsum board. Hinge shall be concealed type. Latch shall be screwdriver operated.







MODEL NUMBER AND OPTIONS SELECTION

BASE MODEL NUMBER

☐ AT Acoustical Tile Access Door

Suffix Options

Allen Key Latch -AKL

☐ -GB Galvanized Drywall Bead -CL Cylinder Lock (one per door) ☐-SS Stainless Steel Construction.


Type 304 No 4 Finish Satin Finish


STANDARD AVAILABLE SIZES Special sizes available upon request.

Special Sizes available apon request.			
NOMINAL DOOR SIZE (W X H)	CEILING OPENING (minimum required)	LATCHES	WEIGHT
AT 8" x 8"	8-1/8" x 8-1/8"	1	4 lbs.
AT 12" x 12"	12-1/8" x 12-1/8"	1	5.5 lbs.
AT 12" x 24"	12-1/8" x 24-1/8"	2	9.5 lbs.
AT 16" x 16"	16-1/8" x 16-1/8"	2	8.5 lbs.
AT 18" x 18"	18-1/8" x 18-1/8"	2	10 lbs.
AT 24" x 24"	24-1/8" x 24-1/8"	2	16 lbs.
AT 24" x 36"	24-1/8" x 36-1/8"	3	24.5 lbs.

NOTES:

- 1. TILE, BY OTHERS
- 2. CONCEALED HINGE
- 3. MOUNTING HOLES
- 4. SCREWDRIVER OPERATED LATCH
- 5. FRAME





Dimensions are subject to manufacturer's tolerance of plus or minus 1/4". Elmdor/Stoneman assumes no responsibility for use of void or suspended data. Please visit www.elmdorstoneman.com for most current specifications. © Copyright 2009 Elmdor/Stoneman, City of Industry, CA, A Division of Acorn Engineering Company.

SELECTION SUMMARY & APPROVAL FOR MANUFACTURING			
Model Number & Options	Quantity		
Company	Date		
Contact	Title		
Approval for Manufacturing/Signature			

AT Revised: 3/24/09